

An "Evidentialist" Worry about Joyce's Argument for Probabilism

Branden Fitelson & Kenny Easwaran

Departments of Philosophy
Rutgers & USC

branden@fitelson.org
easwaran@usc.edu

- Epistemic norms include (what I will call) *accuracy norms* and *coherence norms*. In traditional epistemology, we have:
 - **The Truth Norm for Belief (TB)**. Epistemically rational agents should only believe propositions that are true.
 - **The Consistency Norm for Belief (CB)**. Epistemically rational agents should have logically consistent belief sets.
- Moreover, (CB) *follows from* (TB), since if *S*'s beliefs are inconsistent, then *S* must have (some) false beliefs.
- This is one traditional (epistemic) story about how an accuracy norm [(TB)] is related to a coherence norm [(CB)].
- In formal epistemology, we assume that agents have *degrees* of confidence (*viz.*, *credences*). Are there accuracy and coherence norms for credences? If so, how do they relate?
- Recently, some (*e.g.*, Joyce [4, 3]) have offered answers these questions. Today, I will try to cause trouble for Joyce's answer(s). First, I'll rehearse some troubles for (TB)/(CB).

- An agent *S* in a (sufficiently bad) *preface case* will have (total) evidence *E* that (at least *prima facie*) supports a *violation* of (CB)/(TB). That is, *E* seems to support (or fit) an epistemic state in which *S* has inconsistent beliefs.
- This raises a third type of epistemic norm, which I will call an *evidential norm*. Evidential norms require agents to have attitudes/states that are supported by their total evidence.
- In (bad) preface cases, we seem to have a *conflict* between evidential norms and coherence/accuracy norms.
- I will argue that an analogous conflict can arise in the context of some recent "non-pragmatic" arguments (*e.g.*, [4, 3]) for *probabilistic coherence norms* (*viz.*, *probabilism*).
- Next, I will provide some background on Joycean arguments for probabilistic coherence norms for credences. Then, I will explain how evidential conflicts can arise in that context.
- In the *Coda*, I'll return to the dialectic regarding full belief.

- Standard arguments for *probabilism* are of the form:
 - An agent *S* has a non-probabilistic partial belief function *b* iff (\Leftrightarrow) *S* has some "bad" property *B* (*in virtue of* the fact that their c.f. *b* has a certain "bad" formal property *F*).
- These *arguments* rest on *Theorems* (\Rightarrow) and *Converse Theorems* (\Leftarrow): *b* is non-Pr \Leftrightarrow *b* has formal property *F*.
 - **Dutch Book Arguments** [7, 1]. *B* is *susceptibility to sure monetary loss* (in a certain betting set-up), and *F* is the formal role played by non-Pr *b*'s in the DBT/Converse DBT.
 - **Representation Theorem Arguments** [8]. *B* is *having preferences that violate some of Savage's axioms* (and/or *being unrepresentable as an expected utility maximizer*), and *F* is the formal role played by non-Pr *b*'s in the RT.
- To the extent that we have reasons to avoid these *B*'s, these arguments provide reasons (not) to have a(n) (in)coherent *b*.
- Joycean arguments for probabilism also fit this pattern.

Background	Joyce's Argument	The Worry	Coda	Conclusion	References
○○○	●○○	○○	○○○	○	

- According to Joyce [4], if we view credences as “estimates” of (suitable) “numerical representations of truth-values” of propositions, then we can give an argument for probabilism that is based on the “accuracy” of these “estimates”.
- Consider a very simple, logically omniscient, opinionated agent S who has only one atomic sentence P in his language.
- All that matters concerning S 's coherence is whether S 's credences $b(P)$, $b(\sim P)$ sum to one (and are non-negative).
- Following Joyce, let's associate the truth-value **T** (at each world w) with the number 1 and the truth-value **F** with 0.
- The idea will be that $b(p)$ represents the agent S 's “estimate” of the truth-value of p . These “estimates” will be subject to an accuracy norm, which will, in turn, give rise to a coherence norm (*viz.*, *probabilism*) for credences.
- Next, measuring the “accuracy” of Joycean “estimates” (b).

Branden Fitelson & Kenny Easwaran An “Evidentialist” Worry about Joyce's Argument for Probabilism 5

Background	Joyce's Argument	The Worry	Coda	Conclusion	References
○○○	●○○	○○	○○○	○	

- The *inaccuracy* of $b(p)$ at world w will be b 's “distance (d) from the number associated with p 's truth-value” at w .
- **Example.** Suppose S has just two (contingent) propositions $\{P, \sim P\}$ in their doxastic space. Then, there are two salient possible worlds (w_1 in which P is **T**, and w_2 in which P is **F**). And, the *overall inaccuracy* of b at w [$I(b, w)$] is given by:
 - $I(b, w_1) = d(b(P), 1) + d(b(\sim P), 0)$.
 - $I(b, w_2) = d(b(P), 0) + d(b(\sim P), 1)$.
- Various measures (d) of “distance from 0/1-truth-value” have been proposed/defended in the historical literature.
- de Finetti [2] endorsed the following measure of “distance from truth-value” (in one argument for probabilism):
 - $s(x, y) = (x - y)^2$.
- The distance measure s gives rise to a measure of *overall inaccuracy* (I_s), which is known as the *Brier Score*. In our toy example, the Brier Scores of b in worlds w_1 and w_2 are:

Branden Fitelson & Kenny Easwaran An “Evidentialist” Worry about Joyce's Argument for Probabilism 6

Background	Joyce's Argument	The Worry	Coda	Conclusion	References
○○○	○○●	○○	○○○	○	

- $I_s(b, w_1) = s(b(P), 1) + s(b(\sim P), 0) = (b(P) - 1)^2 + b(\sim P)^2$.
- $I_s(b, w_2) = s(b(P), 0) + s(b(\sim P), 1) = b(P)^2 + (b(\sim P) - 1)^2$.
- If one adopts the Brier Score as one's measure of b 's inaccuracy, then one can give an “accuracy-dominance argument” for the axioms of the probability calculus.
- de Finetti [1] was the first to prove such a *Brier-dominance* theorem. Joyce [4, 3] interprets this as *accuracy-dominance*.
 - **Theorem** (de Finetti). b is non-probabilistic if and only if there exists a *probabilistic* credence function b' such that (a) b' has a strictly lower Brier Score than b at some worlds, and (b) b' never has a greater Brier Score than b at any world.
- 👉 The “bad” B is: *being dominated in accuracy*; and, the “bad” F is: the c.f. b is *Brier-dominated* by some coherent c.f. b' .
- One can use other underlying measures of distance d here and still preserve a de Finetti-style Theorem (but see [6]). Our “evidentialist” worry will apply to any such approach.


Branden Fitelson & Kenny Easwaran An “Evidentialist” Worry about Joyce's Argument for Probabilism 7

Background	Joyce's Argument	The Worry	Coda	Conclusion	References
○○○	○○○	●○	○○○	○	

- Suppose S adopts the Brier Score as their I -measure, and that S 's b is non-probabilistic. Then, there are alternative (coherent) credence functions b' that accuracy-dominate b .
- Intuitively, these b' functions should “look epistemically better” (in a precise sense) than S 's current credences b .
- But, a possible “evidentialist” worry remains.
- Consider a very simple toy agent S with one sentence P in their language. And, suppose S 's credence function assigns $b(P) = 0.2$ and $b(\sim P) = 0.7$. So, S 's b is non-probabilistic.
- It follows from de Finetti/Joyce's theorems that there is a *specific set of* credence functions b' that *Brier-dominate* b .
- It seems that this alternative credence function b' should *inevitably* “look epistemically better” to S than her current credence function b . Our worry is that this *needn't* be so.
- Consider the following (toy) illustration of our worry.

Branden Fitelson & Kenny Easwaran An “Evidentialist” Worry about Joyce's Argument for Probabilism 8

- The red dot in the figure is S 's credence function b . The shaded region depicts the functions b' that *Brier-dominate* b . [The black dot at $\langle 0.2, 0.8 \rangle$ depicts the *only probabilistic* credence function that is compatible with $b(P) = 0.2$.]



- Suppose that S has good reason to assign $b(P) = 0.2$ (i.e., S 's total evidence E supports $b(P) = 0.2$).
- Here, *all* the Brier-dominating functions b' are s.t. $b'(p) \neq 0.2$.
- So, *all* the Brier-dominating functions b' may be “ruled-out” by S 's evidence.
- Then, b' needn't “look better” than b .

☞ This is analogous to what happens with (bad) preface cases. Evidential norms can sometimes “trump” coherence norms.

- In fact, an even tighter analogy can be drawn here...

- Let's return to the case of full belief and disbelief. Notation:
 - $B_S(p) \stackrel{\text{def}}{=} S$ believes that p .
 - $D_S(p) \stackrel{\text{def}}{=} S$ disbelieves that p .
- Uncontroversially, (in)accuracy for belief/disbelief is:
 - $B_S(p)$ is (in)accurate in w iff p is true (false) at w .
 - $D_S(p)$ is (in)accurate in w iff p is false (true) at w .
- Let \mathfrak{B} be the set of S 's qualitative judgments over a (full, Boolean) algebra \mathcal{B} (where we assume S is *opinionated*).
- Then, the obvious way to define the *inaccuracy* of \mathfrak{B} at a world w is as *the number of inaccurate judgments in \mathfrak{B} at w* .
- Finally, this leads directly to the following natural definition of *accuracy-dominance* for *qualitative* judgment sets:
 - One set of qualitative judgments \mathfrak{B}' *accuracy-dominates* another \mathfrak{B} iff (i) \mathfrak{B}' has *strictly fewer* inaccurate judgments at *some* possible worlds, and (ii) \mathfrak{B}' contains *at most as many* inaccurate judgments as \mathfrak{B} at *every* possible world.

- Next, consider the following *qualitative coherence norm*:
(QC) S should not have a qualitative judgment set \mathfrak{B} that is *accuracy-dominated* by some alternative set \mathfrak{B}' .
- Note: (QC) is immune from one analogue of preface cases.
- In a (sufficiently bad) preface case, S has a judgment set \mathfrak{B} which is inconsistent, but which is such that no consistent alternative \mathfrak{B}' “looks as good” to them, *given their evidence*.
- If we show S an alternative, consistent set \mathfrak{B}' , their evidence will suggest — *perhaps non-misleadingly!* — that \mathfrak{B}' contains *more inaccurate judgments* than their own set \mathfrak{B} .
- However, if S violates (QC), then — *a fortiori* — no *dominating* alternative \mathfrak{B}' can (possibly) have a greater number of inaccurate judgments than S 's \mathfrak{B} . So, if S 's evidence suggests such a thing, it *must be misleading!*
- Does this mean (QC) is immune from being “trumped” by *any* evidential norm(s)? Perhaps not. Here's a (toy) example.

	\mathfrak{B}	\mathfrak{B}'
$\sim X \ \& \ \sim Y$	B	D
$X \ \& \ \sim Y$	B	D
$X \ \& \ Y$	B	D
$\sim X \ \& \ Y$	D	D
$\sim Y$	B	B
$X \equiv Y$	B	B
$\sim X$	D	D
X	B	B
$\sim(X \equiv Y)$	D	D
Y	D	D
$X \vee \sim Y$	B	B
$\sim X \vee \sim Y$	B	B
$\sim X \vee Y$	B	B
$X \vee Y$	B	B
$X \vee \sim X$	B	B

- S 's \mathfrak{B} isn't dominated by any *consistent* set, but \mathfrak{B} is — *uniquely* — dominated by the “coherent” \mathfrak{B}' .
- As I mentioned, it is *impossible* for S 's evidence to *non-misleadingly* make it appear to S that \mathfrak{B}' contains more inaccurate judgments than \mathfrak{B} .
- But, it is still possible for there to be a different sense in which S 's evidence non-misleadingly suggests that her violation of (QC) may be “OK”.
- Suppose S 's evidence *non-misleadingly* supports the truth of the conjunction $X \ \& \ \sim Y$. Then, S may reason as follows, when they encounter \mathfrak{B}' .
 - Look, I realize that \mathfrak{B}' cannot have more inaccurate judgments than my \mathfrak{B} does.
 - But, *I have good evidence for $X \ \& \ \sim Y$* , which (if true) *rules-out* \mathfrak{B}' . Since *my* violation of (QC) is *equivalent* to my being dominated by \mathfrak{B}' , why should I be *moved* by my violation of (QC)?

- In traditional epistemology, the preface paradox can be used (by “evidentialists” [5]) to cast doubt on the traditional story about accuracy & coherence norms for *full belief*.
- In formal epistemology, there is a different story about the relationship between accuracy and coherence.
- Joyce suggests a novel, *accuracy-dominance* approach to grounding a probabilistic coherence norm for credences.
- This seems to yield an argument for coherence norms that is immune from “evidentialist” challenges.
- While certain, *old* “evidentialist” challenges *can* be blocked by Joycean techniques, we worry that *new* problems arise.
- We gave some (toy!) examples to illustrate these new “evidentialist” challenges, both in the context of partial belief, and in the analogous dialectic regarding full belief.
- We suspect more complex (and compelling) examples exist, which will make the problems raised here more pressing.

- [1] B. de Finetti, *The Theory of Probability*, Wiley, 1974.
- [2] ———, *Foresight: Its Logical Laws, Its Subjective Sources*, in H. Kyburg and H. Smokler (eds.), *Studies in Subjective Probability*, Wiley, 1964.
- [3] J. Joyce, *Accuracy and Coherence: Prospects for an Alethic Epistemology of Partial Belief*, in F. Huber and C. Schmidt-Petri (eds.), *Degrees of Belief*, 2009.
- [4] ———, *A Nonpragmatic Vindication of Probabilism*, *Philosophy of Science*, 1998.
- [5] N. Kolodny, *How Does Coherence Matter?*, *Proc. of the Aristotelian Society*, 2007.
- [6] P. Maher, *Joyce’s Argument for Probabilism*, *Philosophy of Science*, 2002.
- [7] F. Ramsey, *Truth and Probability*, 1926.
- [8] L. Savage, *The Foundations of Statistics*, Dover, 1972.